THE
MYSORE GAZETTE.
Published by Authority.

BANGALORE, SATURDAY, JULY 13, 1889.

Separate paging is given to this Part in order that it may be filed as a separate compilation.

PART IV.

Official Papers.

Season Report for the Week ending 29th June 1889.

District.	Rain-fall at—	Present week.		Corresponding week of last year.		Price of food grains in seers per Rupee; and market fluctuations in the prices of food grains.	Market how supplied.	Progress of agricultural operations, state of standing crops, prospects and probable out-turn of the harvests, serious damage done to crops by insects or other natural calamities.	Prospects of Season; tracts in which the rain-fall has been insufficient; areas affected by scarcity, number of people under relief, and state of food stocks.	Public Health.	Remarks as to the condition of agricultural stock, failure of pasturage or fodder, &c.
		I.	C.	I.	C.						
Bangalore ...	Bangalore C. & M. Stn. ...	...	25	...	...	This week. Past week.	Well.	Fields ploughed. Standing crops in good condition. Ragi, paddy, cow-gram, pigeon pea, little panicle, little millet and sesamum were sown. Paddy was harvested. Out-turn 8 to 10 annas	Favorable. More rain needed.	Small-pox prevalent in parts. Two fatal cases of cholera occurred in the City of Bangalore.	Cattle disease prevalent in a few Taluks. Water and pasturage procurable.
	„ City & Tk...	...	...	...	35						
	Hoskote ...	...	...	...	...	Rice 9½ 9½.					
	Dodballapur ...	...	25	...	...	Ragi 32 32.					
	Nelamangala ...	...	...	...	88	(*Eleusine corocana.*)					
	Kankanhalli ...	...	...	...	...	Horse-gram 19½ 19½.					
	Magadi ...	...	20	...	14	(*Ciser arietinum.*)					
	Closepet ...	...	...	...	...						
	Anekal ...	...	60	...	...						
	Devanhalli ...	...	13	...	...						
	Channapatna ...	...	65	...	...						
Kolar ...	Kolar ...	...	31	...	...	Rice 11 to 12½ 11 to 13.	Do	Standing crops in good condition. Panicle, wild gingelly and spiked millet were sown in parts. Raiyats were engaged in ploughing and manuring their fields.	Generally good.	Generally good.	Do do
	Bowringpet ...	...	30	...	...	Ragi 30 to 40 30 to 40.					
	Chintamani ...	...	...	...	...	(*Eleusine corocana.*)					
	Mulbagal ...	...	...	...	...	Horse-gram 14 to 22 14 to 26.					
	Sidlaghatta ...	...	...	...	...	(*Ciser arietinum.*)					
	Chikballapur ...	...	35	...	22						
	Bagepalli ...	...	...	..	..						
	Goribidnur ...	..	...	...	...						
	Malur ...	...	10	...	...						
	Srinivasapur ...		...	...	..						
	Gudibanda ...			...	...						
Tumkur ...	Tumkur ...			...	15	Ri[illegible]½ to 15 12 to 15.	Do	Standing crops in good condition. Paddy, panicle, castor beans, cow-gram, chillies, black and green gram and sugar-cane were sown. Paddy and sugar-cane were harvested. Out-turn ½ to 2 annas.	Good.	A few cases of cholera occurred at Kunigal and Huliyururga.	Do do
	Maddagiri ...	...	15	...	38	R[illegible] 40 to 50 40 to 50.					
	Chiknayakanhalli.	...	30	...	..	(*Eleusine corocana.*)					
	Sira ...	...	...	2	35	Horse-gram 20 to 24 20 to 24.					
	Gubbi ...	...	...	1	35	(*Ciser arietinum.*)					
	Tiptur ...	...	...	...	...						
	Pavagada ...	...	50	...	...						
	Kunigal ...	...	...	...	...						

	Koratagere ...	...	...	...	...					
	Turuvekere ...	...	...	...	...					
	Huliyar ...	...	1	..	...					
Mysore ..	Mysore ...	...	47	...	...	Rice 9½ to 13 10 to 13.	Do	Standing crops doing well in parts and in others withering for want of rain.	Generally good.	Cholera prevalent in parts.	Cattle generally in good condition. Fodder and water supply scanty in parts.
	Chamarajnagar ...	...	...	...	...	Ragi 25 to 44 22 to 40.					
	Seringapatam ...	...	...	...	13	(*Eleusine corocana.*)					
	Hunsur ...	...	26	...	20	Horse-					
	Yedatore ...	...	...	...	...	gram 20 to 28 20 to 30.					
	Heggaddevankote. ...		18	...	31	(*Ciser arietinum.*)					
	Gundlupet ...	...	...	...	40						
	Nanjangud ...	...	...	...	...						
	T. Narsipur ...	...	...	...	...						
	Malvalli ...	...	...	...	62						
	Mandya ...	...	...	..	...						
	Attikuppa ...	...	20	...	...						
	Nagamangala ...	...	...	...	...						
Hassan ...	Hassan ...	...	30	...	75	Rice 13	Do	Standing crops thriving well except in a few parts where crops withering for want of sufficient rain. Caterpillars destroying the young ragi crops.	Favorable.	Generally good. Cholera prevalent in Channarayapatna Taluk.	Murrain among cattle prevalent in Hassan Taluk.
	Manjarabad ...	5	31	4	63	Ragi 38					
	Arkalgud ...	...	46	...	40	(*Eleusine corocana.*)					
	Belur ...	...	30	...	50	Horse-					
	Channarayapatna. ...		...	...	...	gram 20					
	Arsikere ...	...	...	...	15	(*Ciser arietinum.*)					
	Holé-Narsipur ...	...	...	...	...						
Shimoga ...	Shimoga ...	1	80	...	6	Rice 13 to 16 13 to 16.	Do	Standing crops in good condition. Ragi, paddy, wild gingelly and black and green gram were sown.	Good.	Small-pox prevalent in four Taluks	Murrain, throat, foot and mouth diseases among cattle prevalent in parts.
	Channagiri ...	...	29	...	...	Ragi 22 to 60 26 to 60.					
	Honnali ...	...	16	...	...	(*Eleusine corocana.*)					
	Shikarpur ...	...	70	...	...	Jola 28 to 40 28 to 42.					
	Sorab ...	4	32	1	15	(*Sorghum Vulgare.*)					
	Sagar ...	5	37	1	20						
	Nagar ...	14	94	4	52						
	Tirthahalli ...	7	9	2	57						
	Kumsi ...	1	47	...	56						
Kadur ...	Chikmagalur ...	1	26	...	52	Rice 11 to 16 10 to 16.	Amply.	Standing crops generally in good condition. Paddy and ragi were sown in parts of Tarikere Taluk.	Generally good.	Generally good.	Cattle disease prevalent in Tarikere and Koppa Taluks. Water and fodder sufficient.
	Kadur ...	...	19	...	...	Ragi 20 to 48 20 to 48.					
	Tarikere ...	...	40	...	30	(*Eleusine corocana.*)					
	Koppa ...	4	81	3	20	Horse-					
	Mudgere ...	4	25	2	10	gram 10 to 20 12 to 18.					
	Yedahalli ...	...	...	...	...	(*Ciser arietinum.*)					
Chitaldroog.	Chitaldroog ...	...	31	..	3	Rice 11 to 13 11 to 14.	Well.	Standing crops in good condition. Sesamum, spiked millet, castor beans, pigeon pea, great millet, paddy and green gram were sown. Paddy was harvested in parts.	Good.	Small-pox prevalent in parts of the Davangere and Jagalur Taluks.	Fodder sufficient.
	Challakere ...	...	...	...	...	Ragi 44 to 60 38 to 60.					
	Hiriyur ...	...	...	...	...	(*Eleusine corocana.*)					
	Holalkere ...	...	35	...	20	Jola 32 to 46 32 to 46.					
	Davangere ...	...	65	...	20	(*Sorghum Vulgare.*)					
	Molakalmuru ...	...	55	...	10						
	Jagalur ...	...	35	...	...						
	Hosdurga ...	...	50	...	10						

By Order,
C. MADIAH,
Under-Secretary.

THE
MYSORE GAZETTE.
Published by Authority.

BANGALORE, SATURDAY, JULY 20, 1889.

☞ Separate paging is given to this Part in order that it may be filed as a separate compilation.

PART IV.

Official Papers.

Season Report for the Week ending 6th July 1889.

District.	Rain-fall at—	Present week.		Corresponding week of last year.		Price of food grains in seers per Rupee; and marked fluctuations in the prices of food grains.	Market how supplied.	Progress of agricultural operations, state of standing crops, prospects and probable out-turn of the harvests, serious damage done to crops by insects or other natural calamities.	Prospects of Season; tracts in which the rain-fall has been insufficient; areas affected by scarcity, number of people under relief, and state of food stocks.	Public Health.	Remarks as to the condition of agricultural stock, failure of pasturage or fodder, &c.
galore ...	Bangalore C. & M. Stn. ...	2	33	...	...	This week. Past week.	Well.	Standing crops in good condition. Ragi, paddy, cow gram, pigeon pea, little millet and sesamum were sown. Paddy, sugar-cane and great millet were harvested. Out-turn 8 to 12 annas.	Favorable.	Generally good. Small-pox prevalent in parts of Nelamangala. One fatal case of cholera occurred in Channapatna.	Cattle disease prevalent in a few Taluks. Water and pasturage procurable.
	„ City & Tk...	4	2	...	...						
	Hoskote ...	4	5	...	...						
	Dodballapur ...	2	6	...	...	Rice 9½ 9½.					
	Nelamangala ...	...	75	...	48	Ragi 30 32.					
	Kankanhalli ...	1	91	...	...	(*Eleusine corocana.*)					
	Magadi ...	1	5	...	7	Horse-					
	Closepet ...	...	10	...	...	gram 17½ 19½.					
	Anekal ...	...	..	...	...	(*Ciser arietinum.*)					
	Devanhalli ...	2	41	...	...						
	Channapatna ...	...	82	...	...						
r ...	Kolar ...	..	76	...	...	Rice 11 to 12½ 11 to 12½.	Do	Standing crops in good condition. ragi, cow gram, pigeon pea, wild gingelly and paddy were sown in a few Taluks.	Generally good.	Generally good.	Water and fodder procurable.
	Bowringpet ...	...	75	...	...	Ragi 30 to 41½ 30 to 40.					
	Chintamani ...	...	...	...	...	(*Eleusine corocana.*)					
	Mulbagal ...	1	60	...	...	Horse-					
	Sidlaghatta ...	...	...	...	...	gram 14 to 21 14 to 22.					
	Chikballapur ...	1	55	...	5	(*Ciser arietinum.*)					
	Bagepalli ...	...	...	..	..						
	Goribidnur ...	..	...	...	10						
	Malur ...	3	15	...	...						
	Srinivaspur ...	...	...	...	..						
	Gudibanda ...	...	...	...	35						
kur ...	Tumkur ...	1	98	...	4	Rice 11½ to 15 11½ to 15.	Do	Standing crops in good condition. Paddy, panicle, spiked millet, pigeon pea, castor beans, cow gram, great millet, sugar-cane and black and green gram were sown. Paddy and sugar-cane were harvested. Out-turn ½ to 2 annas.	Good.	Do	Cattle disease prevalent in parts. Fodder and water available.
	Maddagiri ...	4	15	...	33	Ragi 40 to 50 40 to 55.					
	Chikkanayakanhalli	5	80	...	..	(*Eleusine corocana.*)					
	Sira ...	1	70	...	3	Horse-					
	Gubbi ...	...	...	...	...	gram 20 to 24 20 to 24.					
	Tiptur ...	1	60	...	...	(*Ciser arietinum.*)					
	Pavagada ...	3	89	...	...						
	Kunigal ...	3	25	...	...						

	Koratagere ...	4	55	...	...					
	Turuvekere ...	...	...	...	...					
	Huliyar ...	3	20	..	...					
ysore ...	Mysore ...	...	90	...	10	Rice 9½ to 12 9½ to 13.	Do	Standing crops generally in good condition.	Generally good.	Cholera prevalent in parts.	Cattle in good condition generally. Water and fodder ample.
	Chamarajnagar ...	...	40	...	...	Ragi 25 to 44 25 to 44.					
	Seringapatam ...	3	5	...	...	(*Eleusine corocana.*)					
	Hunsur ...	...	35	...	90	Horse-					
	Yedatore ...	...	70	...	...	gram 20 to 28 20 to 28.					
	Heggaddevankote. ...	8	...	42		(*Ciser arietinum.*)					
	Gundlupet ...	...	80	...	...						
	Nanjangud ...	...	...	...	5						
	T. Narsipur ...	...	25	...	...						
	Malvalli ...	...	...	...	...						
	Mandya ...	...	...	...	...						
	Attikuppa ...	...	...	...	22						
	Nagamangala ...	...	40	...	...						
ssan ...	Hassan ...	...	75	....	75	Rice 14	Do	Standing crops thriving well. Ploughing operations continue in Hassan and Channarayapatna Taluks. Want of rain was much felt in Channarayapatna Taluk.	Favorable.	Generally good.	Murrain among cattle prevalent in some parts of Hassan.
	Manjarabad ...	1	96	11	5	Ragi 40					
	Arkalgud ...	1	9	1	13	(*Eleusine corocana.*)					
	Belur ...	...	80	1	72	Horse-					
	Channarayapatna.	2	8	...	20	gram 22					
	Arsikere ...	1	27½	...	25	(*Ciser arietinum.*)					
	Holé-Narsipur ...	...	...	...	30						
moga ...	Shimoga ...	2	3	3	7	Rice 12 to 16 13 to 16.	Do	Standing crops in good condition. Paddy, wild gingelly, ragi, great millet, pigeon pea and black and green gram were sown.	Good.	Small-pox prevalent in a few Taluks.	Murrain, foot and mouth diseases among cattle prevalent.
	Channagiri ...	...	63	...	60	Ragi 22 to 60 22 to 60.					
	Honnali ...	...	25	...	74	(*Eleusine corocana.*)					
	Shikarpur ...	1	40	1	41	Jola 29 to 40 28 to 40.					
	Sorab ...	3	74	8	62	(*Sorghum Vulgare.*)					
	Sagar ...	4	38	8	5						
	Nagar ...	13	57	20	80						
	Tirthahalli ...	4	55	11	74						
	Kumsi ...	6	67	2	77						
lur ...	Chikmagalur ...	...	63	...	61	Rice 12 to 16 11 to 16.	Do	Standing crops generally in good condition.	Generally good.	Small-pox prevalent in the Koppa Taluk.	Cattle disease prevalent in the Koppa and Tarikere Taluks. Water and fodder ample.
	Kadur ...	...	76	...	47	Ragi 20 to 48 21 to 48.					
	Tarikere ...	1	5	1	5	(*Eleusine corocana.*)					
	Koppa ...	9	20	9	70	Horse-					
	Mudgere ...	4	95	8	20	gram 14 to 16 10 to 20.					
	Yedahalli ...	...	...	...	...	(*Ciser arietinum.*)					
taldroog.	Chitaldroog ...	...	78	..	20	Rice 11 to 12 11 to 13.	Do	Standing crops in good condition. Pigeon pea, Italian millet, great millet, castor beans, green gram, sesamum, black gram and paddy were sown in parts.	Do	Small-pox prevalent in the Town of Chitaldroog.	Murrain among cattle prevalent in the Davangere and Jagalur Taluks. Fodder sufficient.
	Challakere ...	...	11	...	...	Ragi 40 to 60 44 to 16.					
	Hiriyur ...	...	15	...	...	(*Eleusine corocana.*)					
	Holalkere ...	...	40	...	55	Jola 30 to 44 32 to 46.					
	Davangere ...	...	40	...	87½	(*Sorghum Vulgare.*)					
	Molakalmuru ...	...	15	...	...						
	Jagalur ...	...	40	...	20						
	Hosdurga ...	...	...	....	...						

By Order,
C. MADIAH,
Under-Secretary.